

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

仮設給水			仮設給水管材料数量表																														
名 称	形状・寸法	単 位	給水1 φ 13	給水2 φ 13	給水3 φ 20	給水4 φ 13	給水5 φ 13	給水6 φ 13	給水7 φ 25	給水8 φ 40	給水9 φ 13	給水10 φ 13	給水11 φ 13	給水12 φ 13	給水13 φ 13	給水14 φ 13	給水15 φ 13	給水16 φ 13	給水17 φ 13	給水18 φ 20	給水19 φ 20	給水20 φ 20	給水21 φ 20	給水22 φ 20	給水23 φ 25	給水24 φ 20	給水25 φ 40	給水26 φ 20	給水27 φ 20	計	摘 要		
《転用材料》																																	
PP管	φ 13	m	7.6	7.0		7.3	9.1	9.6			7.1	10.2	11.3	10.0	10.1	5.3	3.6	25.0	8.3												131.5		
〃	φ 20	m			16.1															7.6	7.2	8.2	8.3	13.7		8.6		3.2	6.0		78.9		
〃	φ 25	m							7.4								11.3	0.3							6.7						25.7		
VP管	φ 13	m	0.3	0.3		0.3	0.3	0.3			0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3												4.2		
〃	φ 20	m																		0.3	0.3	0.3	0.3	0.3		0.3					1.8		
〃	φ 25	m																							0.3						0.3		
亜鉛引ソケット	φ 20× φ 13	個	1	1		1	1	1			1	1	1	1	1	1			1												12		
PP オネジ 付ソケット	φ 13	個	1	1		1	1	1			1	1	1	1	1	1			1												12		
PP メネジ 付ソケット	φ 20	個			1															1	1	1	1	1		1		1	1		9		
〃	φ 25	個							1								1								1						3		
PP ソケット	φ 20	個																											1	1		2	
〃	φ 25× φ 13	個																1													1		
PP メータ用ソケット	φ 13	個	1	1		1	1	1			1	1	1	1	1	1	1	1	1												14		
〃	φ 20	個			1															1	1	1	1	1		1					7		
〃	φ 25	個							1																1						2		
PP チース	φ 25× φ 13	個															1														1		
砲金製袋ナット	φ 13	個	2	2		2	2	2			2	2	2	2	2	2	2	2	2												28		
〃	φ 20	個																		2	2	2	2	2		2				12			
〃	φ 25	個																							2						2		
シモク	φ 13	個	2	2		2	2	2			2	2	2	2	2	2	2	2	2												28		
〃	φ 20	個																		2	2	2	2	2		2				12			
〃	φ 25	個																							2						2		
TSエルボ	φ 13	個	2	2		2	2	2			2	2	2	2	2	2	2	2	2												28		
〃	φ 20	個																		2	2	2	2	2		2				12			
〃	φ 25	個																							2						2		
甲型止水栓	φ 13	個	1	1		1	1	1			1	1	1	1	1	1	1	1	1												14		
〃	φ 20	個																		1	1	1	1	1		1				6			
〃	φ 25	個																							1						1		
PP メネジ 付ソケット	φ 40	個							1																						1		
PP メータ用ソケット	φ 40	個							1																						1		
TS ソケット	φ 40	個																									1				1		
砲金製袋ナット	φ 40	個																									1				1		
シモク	φ 40	個																									1				1		

仮設給水			仮設給水管労務数量表																													
名 称	形状・寸法	単 位	給水1	給水2	給水3	給水4	給水5	給水6	給水7	給水8	給水9	給水10	給水11	給水12	給水13	給水14	給水15	給水16	給水17	給水18	給水19	給水20	給水21	給水22	給水23	給水24	給水25	給水26	給水27		計	摘 要
			φ13	φ13	φ20	φ13	φ13	φ13	φ25	φ40	φ13	φ13	φ13	φ13	φ13	φ13	φ13	φ13	φ13	φ13	φ20	φ20	φ20	φ20	φ20	φ20	φ25	φ20	φ40	φ20		
PP管据付工	φ13	m	7.6	7.0		7.3	9.1	9.6			7.1	10.2	11.3	10.0	10.1	5.3	3.6	25.0	8.3												131.5	
〃	φ20	m			16.1															7.6	7.2	8.2	8.3	13.7		8.6		3.2	6.0	78.9		
〃	φ25	m							7.4								11.3	0.3							6.7					25.7		
〃	φ40	m								13.7																				13.7		
塩ビ管据付工	φ13	m	0.3	0.3		0.3	0.3	0.3			0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3											4.2		
〃	φ20	m																		0.3	0.3	0.3	0.3	0.3		0.3				1.8		
〃	φ25	m																							0					0.3		
PP継手工	1口継手 φ13	口	2	2		2	2	2			2	2	2	2	2	2	2	2	2											28		
〃	1口継手 φ20	口			2															2	2	2	2	2		2		3	3	20		
〃	1口継手 φ25	口							2								3	1							2					8		
〃	1口継手 φ40	口								2																				2		
小口径鋼管ねじ込接合工	φ13	口	2	2		2	2	2			2	2	2	2	2	2	1	1	2											26		
〃	φ20	口	1	1	2	1	1	1			1	1	1	1	1	1			1	2	2	2	2	2		2		1	1	28		
〃	φ25	口							2								1								2					5		
〃	φ40	口								2																	1			3		
TS継手工	φ13	口	4	4		4	4	4			4	4	4	4	4	4	4	4	4											56		
〃	φ20	口																		4	4	4	4	4		4				24		
〃	φ25	口																							4					4		
〃	φ40	口																									2			2		
止水栓取付工	φ13	箇所	1	1		1	1	1			1	1	1	1	1	1	1	1	1											14		
〃	φ20	箇所																		1	1	1	1	1		1				6		
〃	φ25	箇所																							1					1		
塩ビ管切断工	φ40	口																									1			1		

仮設給水			仮設給水管労務数量表																													
名 称	形状・寸法	単 位	給水1	給水2	給水3	給水4	給水5	給水6	給水7	給水8	給水9	給水10	給水11	給水12	給水13	給水14	給水15	給水16	給水17	給水18	給水19	給水20	給水21	給水22	給水23	給水24	給水25	給水26	給水27		計	摘 要
			φ13	φ13	φ20	φ13	φ13	φ13	φ25	φ40	φ13	φ13	φ13	φ13	φ13	φ13	φ13	φ13	φ13	φ20	φ20	φ20	φ20	φ20	φ20	φ25	φ20	φ40	φ20	φ20		
PP管撤去工	φ13	m	7.6	7.0		7.3	9.1	9.6			7.1	10.2	11.3	10.0	10.1	5.3	3.6	25.0	8.3												131.5	
〃	φ20	m			16.1															7.6	7.2	8.2	8.3	13.7		8.6		3.2	6.0	78.9		
〃	φ25	m							7.4								11.3	0.3							6.7					25.7		
〃	φ40	m								13.7																				13.7		
塩ビ管撤去工	φ13	m	0.3	0.3		0.3	0.3	0.3			0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3											4.2		
〃	φ20	m																		0.3	0.3	0.3	0.3	0.3		0.3				1.8		
〃	φ25	m																							0.3					0.3		
PP継手取外工	1口継手 φ13	口	2	2		2	2	2			2	2	2	2	2	2	2	2	2											28		
〃	1口継手 φ20	口			2															2	2	2	2	2		2		3	3	20		
〃	1口継手 φ25	口							2								3	1							2					8		
〃	1口継手 φ40	口								2																				2		
小口径鋼管ねじ込接合取外工	φ13	口	2	2		2	2	2			2	2	2	2	2	2	1	1	2											26		
〃	φ20	口	1	1	2	1	1	1			1	1	1	1	1	1			1	2	2	2	2	2	2		2		1	1	28	
〃	φ25	口							2								1								2					5		
〃	φ40	口								2																	1			3		
止水栓撤去工	φ13	箇所	1	1		1	1	1			1	1	1	1	1	1	1	1	1											14		
〃	φ20	箇所																		1	1	1	1	1		1				6		
〃	φ25	箇所																							1					1		
保温筒巻付設置工(材工共)	φ13	m	2.6	2.2		2.4	2.3	2.4			0.9	3.6	5.8	4.0	4.5	1.8	3.6	25.0	2.4											63.5	露出延長	
〃	φ20	m			16.1															2.0	1.2	1.8	1.7	7.0		1.6		3.2		34.6	露出延長	
市道土工延長	φ13	m	5.0	4.8		4.9	6.8	7.2			6.2	6.6	5.5	6.0	5.6	3.5			5.9											68.0		
〃	φ20	m																		5.6	6.0	6.4	6.6	6.7		7.0		6.0		44.3		
〃	φ25	m																														

本設給水			本設給水管材料数量表																													
名 称	形状・寸法	単位延長	単位	給水1 φ13	給水2 φ13	給水3 φ20	給水4 φ13	給水5 φ13	給水6 φ13	給水7 φ25	給水8 φ40	給水9 φ13	給水10 φ13	給水11 φ13	給水12 φ13	給水13 φ13	給水14 φ13	給水15 φ13	給水16 φ13	給水17 φ13	給水18 φ20	給水19 φ20	給水20 φ20	給水21 φ20	給水22 φ20	給水23 φ25	給水24 φ20	給水25 φ40	給水26 φ20	給水27 φ20	計	摘 要
サドル付分水栓	DIP用 φ150×20		個	1	1	1	1	1	1			1	1	1	1	1					1	1	1	1	1		1		1		19	
〃	DIP用 φ150×25		個							1								1								1					3	
〃	DIP用 φ150×40		個								1																	1			2	
〃	HPPE用 φ75×20		個													1														1	2	
PP管	φ20		m	5.1	3.5	16.3	3.6	5.8	6.1			2.9	5.6	8.4	5.0	5.1	2.9	3.1	24.5	2.9	2.6	2.6	3.7	3.8	8.2		3.1		4.4	18.5	147.7	
〃	φ25		m							11.4								16.2	0.3							12.4					40.3	
〃	φ40		m								17.5																	17.0			34.5	
PP メーターソケット	φ20		個	2	2	1	2	2	2			2	2	2	2	2	2	1	1	2	2	2	2	2	2		2		1	3	43	
〃	φ25		個							3								3								2					8	
〃	φ40		個								4																	3			7	
PP ソケット	φ20		個			1																						1	1		3	
〃	φ25		個							1																					1	
〃	φ25×φ20		個															1													1	
HIソケット	φ40		個																									1			1	
PP-VP ソケット	φ40		個																									1			1	
PP 90° エルボ	φ20		個			2																									2	
〃	φ25		個							2								2								2					6	
〃	φ40		個								4																	4			8	
PP チーズ	φ25×φ20		個															1													1	
ボール型止水栓	φ20×φ13		個	1	1		1	1	1			1	1	1	1	1	1	1	1	1											14	
〃	φ20		個																		1	1	1	1	1		1				6	
〃	φ25		個																							1					1	
直結止水栓	φ40		個								1																				1	
甲型止水栓	φ20		個																											1	1	
〃	φ25		個							1								1													2	
〃	φ40		個								1																	1			2	
止水栓ボックス			組							1	1							1										1		1	5	
量水器ボックス	25型		個	1	1		1	1	1			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				21	
〃	40型		個								1																				1	

[illegible]











DCIP-GX φ 150				本設配管（φ 150）材料数量表								
名 称	形状・寸法	単位 延長	単位	本設部							合計	摘 要
DCIP (GX形・S種)											(320.000)	
エボキシ粉体	φ 150 5m JDP A G1049	5.000	本	64							64	
DCIP (GX形・S種)	(切管)		(m)								(39.340)	
エボキシ粉体	φ 150 5m JDP A G1049	5.000	本								10	切管調査より
DCIP (GX形・曲管)	φ 150 45°										(0.940)	
エボキシ粉体	JDP A 1049	0.470	個	2							2	
DCIP (GX形・曲管)	φ 150 22° 1/2										(0.410)	
エボキシ粉体	JDP A 1049	0.410	個	1							1	
DCIP (GX形・曲管)	φ 150 11° 1/4										(1.110)	
エボキシ粉体	JDP A 1049	0.370	個	3							3	
DCIP (GX形・曲管)	φ 150 5° 5/8										(0.370)	
エボキシ粉体	JDP A 1049	0.370	個	1							1	
DCIP (GX形・両受曲管)	φ 150 45°										(0.400)	
エボキシ粉体	JDP A 1049	0.200	個	2							2	
DCIP (GX形・両受曲管)	φ 150 22° 1/2										(0.140)	
エボキシ粉体	JDP A 1049	0.140	個	1							1	
DCIP (GX形・二受丁字管)	φ 150×φ 75										(2.700)	
エボキシ粉体	JDP A 1049	0.450	個	6							6	
DCIP (GX形・F付丁字管)	GF型 7.5K											
エボキシ粉体	φ 150×75 JDP A 1049	0.450	個	1							1	
DCIP (GX形 継ぎ輪)												
エボキシ粉体	φ 150 JDP A 1049	0.240	個									
DCIP (GX形・受挿し片落管)	φ 150×φ 100											
エボキシ粉体	JDP A 1049	0.420	個									
DCIP (GX形・両受短管)											(0.040)	
エボキシ粉体	φ 150 JDP A 1049	0.020	個	2							2	
DCIP (GX形・短管2号)											(0.400)	
エボキシ粉体	φ 150 JDP A 1049	0.400	個	1							1	
DCIP (GX形・接合セット/ 異形管・ソフトシル弁用)	φ 150 JDP A 1049		個	21							21	
DCIP (GX形・接合セット/ 異形管・ソフトシル弁用)	φ 100 JDP A 1049		個									
DCIP (ライナー・ライナーボート)	φ 150 JDP A 1049	0.039	個	35							(1.365)	
DCIP (GX形・切管ユニット/Gリンク)	φ 150 JDP A 1049		個	18							18	切管調査より
DCIP (GX形・切管ユニット/Gリンク)	φ 100 JDP A 1049		個									
	FCD										(1.650)	
GX形ソフトシル仕切弁	φ 150 10K 受挿し	0.550	基	3							3	
	FCD										(1.320)	
GX形ソフトシル仕切弁	φ 150 10K 両受	0.220	基	6							6	
異種管継手	DCIP×HPPE φ 150	0.710	個	2							(1.420)	
仕切弁室(レジコン・柵式) 標準セット H=1.2	仕切弁口径 φ 150用		組									
仕切弁室(レジコン・柵式) 標準セット H=1.0	仕切弁口径 φ 150用		組									
仕切弁室(レジコン・柵式) 標準セット H=0.8	仕切弁口径 φ 150用		組	9							9	
管明示テープ(年号入り)	水道用(青/白文字) 幅50mm		m	196.0							196.0	材工共・労務計上 布設延長
埋設表示帯	水道(青)幅15cm 2倍 アルミ		m	369.1							369.1	材工共・労務計上 布設延長
ポリエチレンスリーブ	φ 150		m	369.1							369.1	
布設延長	φ 150 仕切弁除く		m	369.1							369.1	
施工延長	φ 150 仕切弁含む		m	372.1							372.1	
			m									

[illegible]

配水管

切 管 調 書




















DCIP- GX (S種) $\phi 150 \times 5000$

番号	甲 切 管	乙 切 管	使用長 (m)	残管長 (m)	グリンツ	切断数
1	 1.95 G 2.05	_____ G 2.05 	4.00	1.00	2	2
2	 1.00 G 3.55	_____ G 3.55 	4.55	0.45	2	2
3	 2.70	_____ G 2.70 	2.70	2.30	1	1
4	 1.75 G 1.00	_____ G 1.00 	2.75	2.25	2	2
5	 1.00 G 2.70	_____ G 2.70 	3.70	1.30	2	2
6	 4.21 G	_____ 	4.21	0.79	1	1
7	 1.50 G 2.50	_____ G 2.50 	4.00	1.00	2	2
8	 1.01 G 3.87	_____ G 3.87 	4.88	0.12	2	2
9	 3.85 G 1.00	_____ G 1.00 	4.85	0.15	2	2
10	 1.00 G 2.70	_____ G 2.70 	3.70	1.30	2	2
		_____ 				
		_____ 				
		_____ 				
	_____	_____ 				
	_____	_____ 				
	_____	_____ 				
	_____	_____ 				
	_____	_____ 				
	_____	_____ 				
	_____	_____ 				
	_____	_____ 				
	_____	_____ 				
	_____	_____ 				
	_____	_____ 				
	_____	_____ 				
(本)	甲切管計 (m)	乙切管計 (m)	(m)	(m)	(個)	(口)
10	17.27	22.07	39.34	10.66	18	18

配水管

切 管 調 書

DCIP- GX (S種) $\phi 150 \times 5000$

番号	甲 切 管	乙 切 管	使用長 (m)	残管長 (m)	グリンツ	切断数
1	 1.95 G 2.05	_____ G 2.05 	4.00	1.00	2	2
2	 1.00 G 3.55	_____ G 3.55 	4.55	0.45	2	2
3	 2.70	_____ G 2.70 	2.70	2.30	1	1
4	 1.75 G 1.00	_____ G 1.00 	2.75	2.25	2	2
5	 1.00 G 2.70	_____ G 2.70 	3.70	1.30	2	2
6	 4.21 G	_____ 	4.21	0.79	1	1
7	 1.50 G 2.50	_____ G 2.50 	4.00	1.00	2	2
8	 1.01 G 3.87	_____ G 3.87 	4.88	0.12	2	2
9	 3.85 G 1.00	_____ G 1.00 	4.85	0.15	2	2
10	 1.00 G 2.70	_____ G 2.70 	3.70	1.30	2	2
		_____ 				
		_____ 				
		_____ 				
		_____ 				
		_____ 				
		_____ 				
		_____ 				
		_____ 				
		_____ 				
		_____ 				
		_____ 				
		_____ 				
		_____ 				
		_____ 				
		_____ 				
(本)	甲切管計 (m)	乙切管計 (m)	(m)	(m)	(個)	(口)
10	17.27	22.07	39.34	10.66	18	18

[illegible]

[illegible]

配水管

切 管 調 書

HPPE (二層管) φ 150 × 5000

番号	甲 切 管	乙 切 管				使用長 (m)	残管長 (m)		切断数
1	_____	3.00	0.50	_____	_____	3.50	1.50		1
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
(本) 1	甲切管計 (m)	乙切管計 (m)				(m)	(m)	(個)	(口)
		3.50				3.50	1.50		1

DCIP-GX φ 75, HIVP φ 75, 本設配管（φ 75）材料数量表												
名 称	形状・寸法	単位 延長	単位							合計	摘 要	
				詳細②		支管	詳細①	詳細③	詳細④			
				(ドレン①)	(ドレン②)							
DCIP (GX形・S種)	(切管)		(m)								(2.540)	
エポキシ粉体	φ 75×4000	4.000	本								1	切管調査より
(DCIP (GX形・二受丁字管))	I寸法(DGX)										(0.980)	
エポキシ粉体	φ 150×φ 75	0.140	ケ	(1)	(1)	(1)	(1)	(1)	(1)		(7)	
GX形ソフトシル仕切弁	FCD φ 75 10K 受挿し	0.490	基					1	1	1	(1.470)	
	FCD										(0.360)	
メタルシート仕切弁	φ 75 7.5K	0.180	基	1	1						2	
DCIP (GX形・接合セット/ 異形管・ソフトシル弁用)	φ 75 JDPA 1049		ケ	1	1	1	2	1	2		8	
DCIP (GX形・切管ユニット/Gリンク)	φ 75 JDPA 1049		ケ	2	1			1			4	切管調査より
VCジョイント	ショート・離脱防止付 φ 75		ケ					1			1	
GX形短管1号	φ 75		ケ	1	1						2	
メカ型フランジ短管	φ 75		ケ	1	1						2	
フランジ補強金具	φ 75		ケ	1	1						2	
GF型フランジ継手材	φ 75 7.5K SUS304		ケ	1	1						2	
フランジ継手材	φ 75 7.5K BNP (切管)			1	1						2	
HIVP (TS)		4.000	(m)								(4.900)	
塩ビ製継手 (HI)エポキシ	φ 75 JIS K6743		ケ	2	2						4	切管調査より
HPPE 直管	φ 75×5000	5.000	本						1		(5.000)	
HPPE EFフランジ	φ 75×4000	0.160	個						1		(0.160)	
	DCIP×HPPE										(1.230)	
異種管継手	φ 75	0.615	個			1			1		2	
	DCIP×HPPE										(0.730)	
異種管継手	φ 75×φ 50	0.730	個				1				1	
HPPE 直管(切管用)	φ 50×5000	5.000	本				1				1	切管調査より
PVメカニカルジョイント	φ 50		ケ				1				1	
EFソケット	φ 75		個			1					1	
仕切弁室(レジン・樹脂式) 標準セット H=0.8	仕切弁口径 φ 50～100用 水道用(青/白文字)		組	1	1		1	1	1		5	
管明示テープ(年号入り)	幅50mm		m								1.8	材工共
ロケティンクワイヤー			m	2.5	2.4	0.6	2.0		5.2		12.7	材工共
埋設表示帯	水道(青)幅15cm 2倍 アルミ		m	4.2	4.1	0.7	2.9	1.1	6.0		19.0	材工共
DCIP 布設延長	φ 75 仕切弁除く		m	0.9	0.9	0.1	0.9	1.1	0.8		4.7	
DCIP 施工延長	φ 75 仕切弁含む		m	1.1	1.1	0.1	1.4	1.6	1.2		6.5	
HPPE 布設延長	φ 75 仕切弁除く		m			0.6			5.2		5.8	
HPPE 施工延長	φ 75 仕切弁含む		m			0.6			5.2		5.8	
HIVP 布設延長	φ 75 仕切弁除く		m	2.5	2.4						4.9	
HIVP 施工延長	φ 75 仕切弁含む		m	2.5	2.4						4.9	
HPPE 布設延長	φ 50 仕切弁除く		m				2.0				2.0	
HPPE 施工延長	φ 50 仕切弁含む		m				2.0				2.0	

[illegible]

配水管

切 管 調 書

DCIP- GX (S種) $\phi 75 \times 4000$

番号	甲 切 管	乙 切 管				使用長 (m)	残管長 (m)	Gリンク	切断数
1		_____	G 0.77	G G 1.00	G 0.77 	2.54	1.46	4	4
		_____	_____	_____	_____ 				
		_____	_____	_____	_____ 				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
(本) 1	甲切管計 (m)	乙切管計 (m)				(m)	(m)	(個)	(口)
		2.54				2.54	1.46	4	4

配水管

切 管 調 書

HI- VP

φ 75 × 4000


番号	乙 切 管					使用長 (m)	残管長 (m)		切断
1	<u>1. 50</u>	<u>0. 50</u>	<u>0. 50</u>	<u>0. 20</u>	<u>0. 20</u>	2. 90	1. 10		5
2	<u>2. 00</u>	_____	_____	_____	_____	2. 00	2. 00		1
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
(本) 2	甲切管計 (m) 3. 50	乙切管計 (m) 1. 40				(m) 4. 90	(m) 3. 10		(口) 6. 00

配水管

切 管 調 書

HPPE

φ 50 × 5000

番号	甲 切 管	乙 切 管				使用長 (m)	残管長 (m)		切断数
1	 2.00	_____	_____	_____	_____	2.00	3.00		1
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
	_____	_____	_____	_____	_____				
(本) 1	甲切管計 (m) 2.00	乙切管計 (m)				(m) 2.00	(m) 3.00	(個)	(口) 1

[illegible]

[illegible]

[illegible]